

| Line Item | Description of Item (2) | Unit of Measurement (3) | Gyelyong Enterprise | Himalayan Info Tech | Lamia Sales & Services | P Dhendup Tshongkhang |
|-----------|--|-------------------------|---------------------|---------------------|------------------------|-----------------------|
| 1 | <p>"Low End Desktop:Type : Assembled Desktop Processor: 8th Generation Intel, Core, i3-8100 processor (6MB Cache, up to 3.6 GHz) Operating Systems : Windows 10 Home 64bit Multi-Language ,Memory: 4GB, DDR4, 2400MHz, Hard Drive: 3.5inch 1TB 7200 rpm Hard Drive Video Card: Intel, UHD Graphics 630</p> <p>Others: Optical DVR-RW drive, Integrated VGA display adaptor, 4-6 USB ports, 1Gigabit Ethernet Adaptor, USB Optical keyboard & mouse, Integrated HD audio system,Intel Dual Band Wireless 802.11bgn Bluetooth 4.0, 20inch LED wide Screen Monitor with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(DELL/HP or equivalent)"</p> | Set | 30000 | 33000 | 32300 | 20000 |
| 2 | <p>Low End Desktop:Type : All in one Desktop 2.0GHz Intel J4005 processor 4GB DDR4 RAM 1TB 5400rpm hard drive 19.5-inch screen, Integrated Graphics Windows 10 Home operating system 19.5inch 1440x900 resolution display NOTE : CPU is integrated within the desktop , this product is All-in-One Desktop Microphone/earphone combo (bottom) and Keyboard and Mouse included 3 in 1 card reader (bottom) (SD, SDHC, SDXC) 2 Number of USB 2.0 Ports 1 Number of USB 3.0 Ports 1 Number of HDMI Ports integrated ethernet port with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(Lenovo or equivalent)</p> | Set | 37888 | 33000 | 34700 | 27000 |
| 3 | <p>Low End Desktop:Type: All in One Desktop : 19.5 inch diagonal HD anti-glare WLED-backlit (1366 x 768p) Display screen AMD Dual-Core E2-9000 APU (1.8 GHz base frequency, upto 2.2 GHz burst frequency, 1 MB cache) 1 TB SATA Hard Drive 600 MB/Sec 7200 rpm 4 GB DDR4-2133 SDRAM (1 x 4 GB) Windows 10 Home Single Language 64 bit AMD Radeon R2 Graphics Wired Keyboard & Mouse DVD Writer Wi-Fi 802.11b/g/n (1x1), Bluetooth-V4 Stereo Speakers DTS Audio 2 Number of USB 2.0 Ports 2 Number of USB 3.0 Ports 1 Number of HDMI Ports integrated ethernet port with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or equivalent)</p> | Set | 0 | 32900 | 36300 | 29000 |
| | <p>"Mid End Desktop:Type : Assembled Desktop Processor : Intel 8th Generation Core i3-8100 (6M Cache, 3.60 GHz) RAM : 8 GB, DDR4, 2666MHz Hard Disk : 1TB 3.5inch 7200 rpm SATA Hard Drive Graphics : Intel UHD Graphics 630 with shared graphics memory</p> | | | | | |

| | | | | | | |
|---|--|-----|-------|-------|-------|-------|
| 4 | Operating System : Windows 10 Home Plus Single Language of 64 bit Wifi Bluetooth 18.5 inch Monitor DVD Drive include Wired keyboard Mouse Integrated VGA display adaptor, 4-6 USB ports, 1Gigabit Ethernet Adaptor, Integrated HD audio system with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(DELL/HP or equivalent)" | Set | 30000 | 34800 | 33390 | 30000 |
| 5 | Mid End Desktop: Type : All in one Desktop 2.00GHz Intel Core i3-6006U 6th Gen processor , 4GB DDR4 RAM, 1TB 5400rpm hard drive, 21.5- inch screen, Integrated Graphics, Windows 10 Home operating system of 64bits Number of USB 2.0 Ports : 3 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports : 1 Number of Ethernet Ports : 1 Number of Microphone Ports: 1 Included Components Wireless Keyboard, Wireless Mouse, Manual, Stand and Adaptor with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(lenovo or equivalent) | Set | 0 | 33900 | 38740 | 30400 |
| 6 | High End Desktop: Type : Assembled Desktop Screen Size: 19.45 Inches Processor: Intel Core i5 or i7 Processor Speed: 3 GHz RAM Size : 4 GB Memory Technology : DDR4 Hard Drive Size : 1 TB Hard Disk Technology: Serial ATA Graphics Coprocessor: Intel HD Connectivity Type : Wi-Fi, Bluetooth Wireless Type : 802.11.b, 802.11.g Number of USB 2.0 Ports : 4 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1 Optical Drive Type: Yes Card Reader : Secure Digital Card Operating System: Windows 10 Included Components: HP Keyboard, Mouse with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or Equivalent) | Set | 50795 | 38900 | 38940 | 30700 |
| | "High End Desktop:Type : All in one Desktop, Operating system Windows 10 Home 64 Processor AMD Ryzen? 5 2600H (3.25 GHz base frequency, up to 3.6 GHz burst frequency, 4 MB cache, 4 cores) Graphics Integrated: AMD Radeon? Vega 8 Graphics Screen size Display 23.8inch Memory 12 GB DDR4-2666 SDRAM (1 x 4 GB, 1 x 8 GB) Storage | | | | | |

| | | | | | | |
|---|---|-----|-------|-------|-------|-------|
| 7 | 1 TB 5400 rpm SATA SSHD Flash cache 8 GB Memory card device 3-in-1 memory card reader Network interface Integrated 10/100/1000 Gigabit Ethernet LAN Wireless technology 802.11a/b/g/n/ac (2x2) and Bluetooth? 4.2 M.2 combo Power supply 120 W external AC power adapter External I/O Ports Rear:1 headphone/microphone combo; 2 USB 3.1 Type-C? Gen 1; 3 USB 3.1 Gen 1 Webcam Truevision FHD camera with dual array digital microphone Audio B&O Video connector 1 HDMI-out 1.4; 1 HDMI-in 1.4 Special features Tilt: -5Ø forward to 25Ø back Color Sparkling black Pointing device wireless Optical Mouse Keyboard wireless Keyboard with volume control with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or Equivalent)" | Set | 49375 | 43600 | 71430 | 78000 |
| 8 | Low End Laptop: Screen Size: 14 Inches Maximum Display Resolution: 1366x768 System: 64 bit Processor Brand: Intel Processor Type: Core i3 Processor Speed :2.30 GHz RAM Size : 4 GB Memory Technology: DDR4-2133 SDRAM Computer Memory Type : GDDR4 Hard Drive Size: 1 TB Hard Drive Interface: eSATA Audio Details: Headphones Speaker Description : Dual Speakers Graphics Coprocessor : Intel HD Graphics Connectivity Type: Intel 802.11bgn (1x1) Wi-Fi and Bluetooth 4.2 Combo Wireless Type: 802.11bgn Number of USB 2.0 Ports : 1 Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1 Number of Microphone Ports:1 Operating System :Windows 10 Home Included Components: Laptop bag, head phones, wireless mouse,and AC Adapter with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or Lenovo or equivalent) | Set | 31000 | 29800 | 32400 | 32900 |

| | | | | | | |
|----|--|-----|-------|-------|-------|-------|
| 9 | <p>Low End Laptop: Screen Size: 15.6 Inches Maximum Display Resolution:1920 x 1080 (Full HD) Processor Brand: Intel Processor Type: Core i3 Processor Speed: 2.30 GHz RAM Size: 4 GB Memory Technology: DDR4 System: 64 bit Computer Memory Type: DDR4 SDRAM Hard Drive Size: 1 TB Hard Drive Interface: Serial ATA Speaker Description: Dolby Audio; 1.5W Dual Speakers Graphics Coprocessor: Integrated Graphics Connectivity Type: WIFI 1X1 AC+BT4.1 Number of USB 3.0 Ports : 2 Number of HDMI Ports : 1 Number of Audio-out Ports: 1 Number of Ethernet Ports : 1 Number of Microphone Ports : 1 Optical Drive Type :DVD-RW Operating System : Windows 10 Included Components: Laptop bag, head phones, wireless mouse,Adapter and User Manual with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or Lenovo or equivalent)</p> | Set | 31000 | 29000 | 31795 | 30900 |
| 10 | <p>Mid End Laptop: Screen Size : 15.6 Inches Maximum Display Resolution: 1920x1080 Processor Brand : Intel Processor Type: Core i5 8250U Processor Speed : 2.80 GHz RAM Size: 8 GB Memory Technology : DDR4-2400 SDRAM Computer Memory Type : DDR DRAM Hard Drive Size : 1 TB Hard Drive Interface: Serial ATA Audio Details: Headphones Speaker Description: Dual Speakers Graphics Coprocessor : Intel HD Graphics Connectivity Type: Intel 802.11bgn (1x1) Wi-Fi and Bluetooth 4.2 Combo Wireless Type: 802.11bgn Number of USB 2.0 Ports :1 Number of USB 3.0 Ports: 2 Number of HDMI Ports : 1 Number of Audio-out Ports : 1 Number of Ethernet Ports: 1 Number of Microphone Ports: 1 Operating System : window 10 Included Components: Laptop bag, head phones, wireless mouse, and AC Adapter with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode</p> | Set | 40000 | 38500 | 39340 | 45000 |

| | | | | | | |
|----|--|-----|-------|-------|-------|-------|
| 11 | High End Laptop: Screen Size: 14 Inches Maximum Display Resolution: 2560 x 1440 (Quad HD) Processor Brand: Intel Processor Type: Core i7 RAM Size : 8 GB Memory Technology : DDR3 System:64 bit Maximum Memory Supported: 8 GB Hard Disk Technology: Flash Memory Solid State(256GB) Speaker Description: Conexant Graphics Coprocessor Intel HD Graphics 5500 Graphics Card Ram Size : 4.06 GB Number of USB 3.0 Ports: 2 Number of HDMI Ports: 1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1 Number of Microphone Ports :1 Bluetooth 4.2 Combo Wireless Type: 802.11bgn Operating System: Windows 10 Included Components: Laptop bag,head phones, wireless mouse, AC Adapter with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode(HP or Lenovo or equivalent) | Set | 58800 | 48900 | na | 69000 |
| 12 | High End Laptop: Screen Size:14 Inches Maximum Display Resolution: 2560 x 1440 (Quad HD) Processor Brand: Intel Processor Type: Core i7 Processor Speed:2.60 GHz RAM Size:8 GB Memory Technology: DDR3 System:64 bit Hard Drive Size: 256 GB Hard Disk Technology:Flash Memory Solid State Speaker Description:Conexant Graphics Coprocessor:Intel HD Graphics 5500 Graphics Card Ram Size:4.06 GB Number of USB 3.0 Ports:2 Number of HDMI Ports:1 Number of Audio-out Ports: 1 Number of Ethernet Ports: 1 Number of Microphone Ports: 1 Operating System: Windows 10 Included Components : Laptop bag, head phones, wireless mouse, AC Adapter with Genuine microsoft office 2013/2016 installed, preinstalled Dzongkha unicode (HP or Lenovo or equivalent) | Set | 70350 | 49600 | 49940 | 72000 |
| 13 | Pendrive:32GB USB 2.0 or 3.0 Pen Drive/flash drive (HP/Toshiba or equivalent) | Set | 980 | 0 | 930 | 1899 |
| 14 | Pendrive:64GB USB 2.0 or 3.0 Pen Drive/ flash drive(HP/Toshiba or equivalent) | Set | 0 | 0 | 1348 | 2900 |
| 15 | Pendrive:128 GB USB 2.0 or 3.0 Pen Drive/ flash drive(HP/Toshiba or equivalent) | Set | 0 | 0 | 2465 | 4200 |
| 16 | External Hard drive: 1 TB Wired External Hard Disk Drive (HP/Toshiba or equivalent) | Set | 5998 | 0 | 5400 | 7200 |
| 17 | External Hard drive: 2 TB Wired External Hard Disk Drive (HP/Toshiba or equivalent) | Set | 6998 | 0 | 7400 | 9900 |
| 18 | Memory card/flash memory : 32 GB Camera memory card | Set | 0 | 0 | 1640 | 1899 |
| 19 | Memory card/flash memory :16 GB Camera memory card | Set | 0 | 0 | 1390 | 1259 |
| 20 | Memory card/flash memory :32 GB Camera Flash Memory card (Product Dimensions 0.4 x 4.3 x 3.6 cm) | Set | 0 | 0 | 1690 | 1899 |

| | | | | | | |
|----|--|-----|------|---|--------|-------|
| 21 | Memory card/flash memory :128 GB Camera Flash Memory card (Product Dimensions 0.4 x 4.3 x 3.6 cm) | Set | 0 | 0 | 3400 | 3998 |
| 22 | Mouse : Wireless Mouse USB Receiver USB Charging(Rechargeable) | Set | 0 | 0 | 840 | 890 |
| 23 | pointer: USB Wireless Presenter, RF 2.4GHz Powerpoint Clicker Presentation Remote Control Pen with battery or equivalent | Set | 4700 | 0 | 3940 | 4900 |
| 24 | Ups: Smart UPS: Colour : BLACK Form Factor: RACK / TOWER Item Height 43.2 Centimeters Item Width 48.3 Centimeters Item Weight 11.5 Kg Product Dimensions 8.5 x 48.3 x 43.2 cm Wattage 2400 Watts Included Components : Basic UPS Signalling RS-232 Cable, Installation guide, User Manual(APC or equivalent) | Set | 0 | 0 | 9400 | 0 |
| 25 | Ups: Smart UPS 5000V A RM 2U LCD(120V) | Set | 0 | 0 | 117400 | 72000 |
| 26 | "Ups: Colour Black Item Height 21.8 Centimeters Item Width 10.7 Centimeters Item Weight 4.7 Kg Product Dimensions 23.7 x 10.7 x 21.8 cm Batteries: 1 Lithium Polymer batteries required. (included) Wattage 360 Watts Battery Charge Time (in hours) 4 Hours Average Battery Standby Life (in hours) 20 Minutes Average Battery Life (in hours) 3 Years Lithium battery Voltage 230 Volts Lithium battery Weight 0.85 Grams Number of Lithium Ion Cells 2 Included Components UPS, User Manual and Warranty card" | Set | 0 | 0 | 5400 | 0 |
| 27 | Ups: APC Smart-UPS 5000VA RM 2U LCD with power cord | Set | 0 | 0 | 143700 | 79000 |
| 28 | Storage Disk: DVDRW(4GB) | Set | 0 | 0 | 0 | 350 |
| 29 | Storage Disk: CD Carry case (30 CDs) capacity | Set | 0 | 0 | 0 | 890 |
| 30 | "NIC Card: 10/100/1000Mbps PCIe adapter, supports: IEEE802.3 Port: 1x 10/100/1000Mbps RJ45 network media Compatibility: windows XP 32/64bit, vista 32/64bit, windows 7 32/64bit, windows 8 32/64bit" | Set | 0 | 0 | 3800 | 0 |
| 31 | Hard Disk Drive: Computer Spare Parts: Hard disk Drive of 160 GB(specify IDE/SATA Compatable) | Set | 0 | 0 | 2940 | 0 |
| 32 | Hard Disk Drive: Computer Spare Parts: Hard disk Drive of 250 GB(specify IDE/SATA Compatable) | Nos | 0 | 0 | 3900 | 0 |
| 33 | Hard Disk Drive: Computer Spare Parts: Hard disk Drive of 320 GB(specify IDE/SATA Compatable) | Nos | 0 | 0 | 0 | 0 |
| 34 | Computer Spare Parts: CMOS battries for Dell and HP, Acer computers | Nos | 0 | 0 | 350 | 150 |
| 35 | Memory(RAM): 1GB DDR1 | Nos | 0 | 0 | 2900 | 2333 |
| 36 | Memory(RAM): 2GB DDR1 | Nos | 0 | 0 | 3900 | 3333 |
| 37 | Memory(RAM): 1GB DDR2 | Nos | 0 | 0 | 2900 | 2333 |
| 38 | Memory(RAM): 2GB DDR2 | Nos | 0 | 0 | 3900 | 3333 |
| 39 | Memory(RAM): 1GB DDR3 | Nos | 0 | 0 | 2900 | 2333 |
| 40 | Memory(RAM): 2GB DDR3 | Nos | 0 | 0 | 0 | 3999 |
| 41 | Memory RAM 1GB DDR4 | Nos | 0 | 0 | 2900 | 5500 |
| 42 | Memory RAM 2GB DDR4 | Nos | 3800 | 0 | 3900 | 6400 |
| 43 | Memory RAM 4GB DDR4 | Nos | 4800 | 0 | 4400 | 7400 |
| 44 | SMPS with IDE Option | Nos | 0 | 0 | 3900 | 0 |
| 45 | SMPS with SATA option | Nos | 0 | 0 | 3900 | 0 |
| 46 | Stabilizer 500VA | Nos | 2800 | 0 | 2300 | 0 |
| 47 | Stabilizer 1000VA | Nos | 3800 | 0 | 3400 | 0 |
| 48 | Stabilizer 2000VA | Nos | 4800 | 0 | 4200 | 0 |

| | | | | | | |
|----|--|-----|--------|-------|--------|---|
| 49 | Low End Camera 20.3 MP Digital Camera with 35times Optical Zoom, Effective pixels 20.3 M.P. lens with 35times optical zoom, Monitor 7.5cm diagonal with WiFi, NFC, Bluetooth, 4K Ultra High Definition with charge, carrying case, 32 GB SD Card and spare battery Nikon or Cannon or equivalent | Set | 17500 | 0 | 23400 | 0 |
| 50 | "Mid End Camera Digital Camera ALL INCLUSIVE BUNDLE KIT Including SanDisk Ultra 32GB SDHC Memory Card Point and Shoot Camera Case 12inch GRIPSTER Tripod Wrist or Hand Grip Strap Lens Cleaning Pen with WiFi, NFC, Bluetooth Lens Dust Blower 20.3MP 1/2.3inch CMOS Sensor - DIGIC 6 Image Processor - 40x Zoom Lens, 24-960mm (35mm Equiv.) - 3.0inch 922k-Dot 180° Tilting LCD - Full HD 1080p Video Recording at 60 fps - Intelligent IS Image with spare battery and charger" | Set | 0 | 0 | 27400 | 0 |
| 51 | "Mid End Camera Digital SLR Camera Canon EOS 1300D with 18 to 55mm lens and 55 to 250mm Lens, Sensor APSC CMOS Sensor with 18 MP ISO 100 6400 sensitivity range Image Processor DIGIC 4plus with 9 autofocus points, Video Resolution Full HD video with fully manual control and selectable frame rates Connectivity WiFi, NFC and Bluetooth built-in Lens Mount EFS mount compatible with all EF and EFS lenses with tripod, cleaning kit, carrying case, spare battery with charger, memory card and Spe Tulip 58Mm Flower Lens Hood For Canon Eos 55 to 250Mm 18 to 55Mm Ef Lens" | Set | 39900 | 29600 | 49700 | 0 |
| 52 | "Mid End Camera Dual Pixel CMOS AF with Phase detection 24.2 Megapixel CMOS APSC Sensor, Bit Depth 14 to Bit Built-in Wi-Fi, NFC and Bluetooth Intuitive Touchscreen, 3.0-inch Tilt-type LCD Built-in Wi-Fi, NFC and Bluetooth; Intuitive Touchscreen, 3.0-inch Tilt-type LCD with Cleaning Kit, Spare battery with Charger, 32 gb Memory Card and carrying case" | Set | 0 | 0 | 77400 | 0 |
| 53 | High End Camera Canon EOS 80D DSLR Camera with 18 to 55mm Lens 18PC Professional Bundle Package SanDisk 64gb SD Card plus 500mm Preset f/8 Telephoto Lens plus Canon Shoulder Bag plus Product Includes Ultimaxx 500mm Preset Lens T Mount For Canon EOS Lens 24.2MP APSC CMOS Sensor DIGIC 7 Image Processor 3.0inch 1.04m Dot VariAngle Touchscreen Full HD 1080p Video Recording at 60 fps 45 Point All Cross Type Phase Detect AF Dual Pixel CMOS AF Up with cleaning kit | Set | 125888 | 95600 | 94730 | 0 |
| 54 | High End Camera Canon EOS 5D Mark IV 30.4 MP Digital SLR Camera plus EF 24 to 105mm is USM Lens Kit with carrying case | Set | 291312 | 0 | 274400 | 0 |
| 55 | Panasonic Single Line 2.4GHz KX-TG3711SX Digital Cordless Telephone | Set | 0 | 0 | 4300 | 0 |

| | | | | | | |
|----|--|-----|-------|-------|-------|-------|
| 56 | Binatone Trend 1 Corded Landline Phone (Black) | Set | 0 | 0 | 1400 | 0 |
| 57 | Telephone (HDC1028(3) | Set | 0 | 0 | 1400 | 0 |
| 58 | Panasonic Fax machine FX-FT73 or equivalent | Set | 10098 | 0 | 9900 | 12000 |
| 59 | Panasonic Fax machine KX-FT156 or equivalent | Set | 8700 | 0 | 9900 | 13000 |
| 60 | Panasonic Fax machine KX-FP342CX or equivalent | Set | 10098 | 0 | 10400 | 14000 |
| 61 | Panasonic Fax machine KX_FT903CX or equivalent | SET | 0 | 0 | 9900 | 0 |
| 62 | Panasonic kX- FAD 93 (Drum Unit) or equivalent | SET | 6800 | 0 | 16700 | 0 |
| 63 | Panasonic fax Machine KXFP-772 Plain Paper or equivalent | SET | 0 | 0 | 17400 | 0 |
| 64 | Canon FAXPHONE L170, Maximum Copies 99 copies, Copy Resolution 1,200 dpi x 600 dpi, Copying Features , Book Copying., ID Copy, Mixed Size Originals, Additional Features , telephone handset included or equivalent | SET | 38000 | 0 | 17420 | 0 |
| 65 | Telephone (HDC1028(3) | SET | 0 | 0 | 1420 | 0 |
| 66 | Panasonic Fax machine FX-FT73 or equivalent | SET | 0 | 0 | 9900 | 0 |
| 67 | Panasonic Fax machine KX-FT156 or equivalent | SET | 0 | 0 | 9900 | 0 |
| 68 | Panasonic Fax machine KX-FP342CX or equivalent | SET | 0 | 0 | 16420 | 0 |
| 69 | Panasonic Fax machine KX_FT903CX or equivalent | SET | 0 | 0 | 9940 | 0 |
| 70 | Panasonic kX- FAD 93 (Drum Unit) or equivalent | SET | 6800 | 0 | 6300 | 0 |
| 71 | Panasonic fax Machine KXFP-772 Plain Paper or equivalent | SET | 0 | 0 | 14700 | 0 |
| 72 | Canon FAXPHONE L170, Maximum Copies 99 copies, Copy Resolution 1,200 dpi x 600 dpi, Copying Features , Book Copying., ID Copy, Mixed Size Originals, Additional Features , telephone handset included or equivalent. | SET | 0 | 0 | 16400 | 0 |
| 73 | Panasonic, PANASONIC KXFLM651 LASER FAX/COPY/PRINT/SCAN or equivalent | SET | 0 | 0 | 16400 | 0 |
| 74 | Panasonic fax Machine KXFP-701 Plain Paper or equivalent | SET | 10098 | 13000 | 9900 | 0 |
| 75 | Brother Intellifax 4100e, Fax / Copier, 15ppm, 14.4K modem, 50 sheet tray, 30 sheet feeder, 8 mb memory (500 pgs) | SET | 0 | 0 | 19400 | 0 |
| 76 | Lamination machine - Master Printer & Digital Duplicating machine (Digital scanning,thermal screening, duplicating system..RISO KS800K) | SET | 0 | 0 | 97400 | 11900 |
| 77 | Cordless phone with separate charger (Senao SN-1258) | SET | 0 | 0 | 0 | 0 |
| 78 | Walkie Talkie: Rechargeable, distance coverage:200-500 meters or above wih earpiece(specify the price ranges for different specs) | SET | 0 | 0 | 28400 | 0 |
| 79 | Document Camera: AVerVision U50 USB FlexArm Document Camera Black (VISIONU50) | SET | 0 | 0 | 69400 | 0 |
| 80 | Document Camera: IPEVO V4K Ultra High Definition USB Document Camera | SET | 0 | 0 | 79400 | 0 |
| | "Web Camera: Logitech HD PRO Webcam C920 with Full HD 1080p video calling (up to 1920 x 1080 pixels) with the latest version of Skype for Windows | | | | | |

| | | | | | | |
|----|--|-----|-------|-------|-------|-------|
| 81 | 720p HD video calling (up to 1280 x 720 pixels) with supported clients. Full HD video recording (up to 1920 x 1080 pixels) H.264 video compression, Built-in dual stereo mics with automatic noise reduction. Automatic low-light correction, Tripod-ready universal clip fits laptops, LCD or monitorsH.264 video compression, Built-in dual stereo mics with automatic noise reduction. controls: Video and photo capture, Face tracking, Motion detection" | Set | 15500 | 0 | 14400 | 0 |
| 82 | Web Camera: Camera Stand (Pro Star) Medium/Small | Set | 0 | 0 | 0 | 0 |
| 83 | Vaccum Cleaner : Vacuum Cleaner for Home/Car/Carpet/Bed/Sofa, Lithium ion Battery, 35 Minutes Use Time, Lightweight Vacuum Cleaner with Stainless Steel HEPA Filter (Black) | Set | 0 | 0 | 53400 | 14900 |
| 84 | Vaccum Cleaner : Dyson V10 Absolute Pro Cord-Free Vacuum (Copper) or equivalent | Set | 0 | 0 | 0 | 23900 |
| 85 | Vaccum Cleaner : Eureka Forbes Euroclean WD X2 Vacuum Cleaner, Orange & Black | Set | 0 | 0 | 24700 | 33900 |
| 86 | Multi function Printer ((Print/scan/copy/Fax)) with ethernet or wifi features and must support all windows 7/8/10:HP Laserjet Pro MFP M226dw Printer (Print, Scan, Copy, Fax, Wireless, Duplex, ePrint) with user manual, cartridge and drivers cd (HP or equivalent) | Set | 34500 | 23000 | 26390 | 29000 |
| 87 | Multi function Printer ((Print/scan/copy/Fax)) with ethernet or wifi features and must support all windows 7/8/10: HP Laserjet Pro MFP M128fn Printer with user manual, cartridge and drivers cd(HP or equivalent) | Set | 22800 | 23900 | 16700 | 24900 |
| 88 | Colour Printer and must support all windows 7/8/10 : Canon Pixma G3010 All-in-One Wireless Ink Tank Colour Printer with user manual, cartridge and drivers cd | Set | 0 | 35300 | 6700 | 18900 |
| 89 | Colour Printer and must support all windows 7/8/10: Canon Pixma MG2577s All-in-One Inkjet Colour Printer (Blue/White) with user manual, cartridge and drivers cd | Set | 5000 | 0 | 24500 | 17900 |
| 90 | Heavy Duty Printer with ethernet connectivity and must support all windows 7/8/10 : Epson WorkForce AL-C300TN with user manual, cartridge and drivers cd | Set | 0 | 0 | 19400 | 42000 |
| 91 | Heavy Duty Printer with ethernet connectivity and must support all windows 7/8/10: HP Laserjet Enterprise M608dn with user manual, cartridge and drivers cd | Set | 38888 | 0 | 74400 | 40000 |
| 92 | Heavy Duty Printer with ethernet connectivity and must support all windows 7/8/10: Xerox VersaLink C605 with user manual, cartridge and drivers cd | Set | 0 | 0 | 64400 | 0 |
| 93 | Dot Matrix Printer (Any) | Set | 49900 | 14600 | 41400 | 24000 |
| 94 | Printer Cable : Printer Cable 5m,USB/Parallel | Set | 26325 | 0 | 320 | 190 |

| | | | | | | |
|-----|---|-----|-------|-------|-------|-------|
| 95 | Mike : TZA-4000EM (Two zones PA Amplifiers) Max output 300w for each zone | Set | 0 | 0 | 25500 | 0 |
| 96 | Mike : TZA-4000EM (Two zones PA Amplifiers) Max output 300w for each zone | Set | 10725 | 0 | 25500 | 0 |
| 97 | Mike : Cabinet speaker (SRX-250DX200W) | Set | 2047 | 0 | 9700 | 0 |
| 98 | Mike : Microphone base GMB-6C | Set | 1979 | 0 | 1580 | 0 |
| 99 | Mike : Microphone, Shure 12inch Desktop Gooseneck Mic (GM605) | Set | 2004 | 0 | 1530 | 0 |
| 100 | Mike : Horn speaker with driver unit 40w | Set | 1449 | 0 | 2560 | 0 |
| 101 | Mike : Speaker stands CTA-50. (SAT150) | Set | 2582 | 0 | 3075 | 0 |
| 102 | Mike : Cordless microphone AWM520H | Set | 3770 | 0 | 3150 | 0 |
| 103 | Mike : Mike cables, GlS Audio Mic Cable Patch Cords XLR Male to Female Blue | Set | 0 | 0 | 2500 | 0 |
| 104 | Mike : Speaker Cables Mediabridge 16 Gauge Speaker Wire With Sequential Foot Markings. | Set | 3250 | 0 | 4700 | 0 |
| 105 | Mike : Microphone stand,big &small. DGN | Set | 2100 | 0 | 1300 | 0 |
| 106 | Mike : Micro phone stand,Small | Set | 1421 | 0 | 800 | 0 |
| 107 | Mike : Tie/clip mike,wireless. (AWM 520VL) | Set | 3770 | 0 | 3150 | 0 |
| 108 | Mike : Micro phone,Shure SM58 | Set | 0 | 0 | 1200 | 0 |
| 109 | Mike : all option with speaker(wireless) | Set | 0 | 0 | 9700 | 0 |
| 110 | TV with hdmi & usb slots, ethernet and wifi connectivity :40-50 inch inch Screen size with 3D functionality(specify the price range without 3D functionality)Samsung or equivalent | Set | 44000 | 43000 | 29400 | 52000 |
| 111 | TV with hdmi & usb slots, ethernet and wifi connectivity :60-70inch inch Screen size with 3D functionality(specify the price range without 3D functionality) Samsung or equivalent | Set | 0 | 56900 | 99400 | 72000 |
| 112 | Extension cords & Socket : Four Way Socket 2500Watt with 10Amps (gold medal) | Nos | 480 | 0 | 545 | 990 |
| 113 | Extension cords & Socket : Specify any 3-6 m long extension cords with atleast 4-6 sockets with high resistance | Nos | 680 | 0 | 760 | 690 |
| 114 | "INTEL : 1U rack server Specification(Low End Server) :inchesProcessor: Intel Xeon Processor E3 1280 v6, 8MB Smart Cache, 3.90GHz Single Processor. Memory: 16GB DDR4 with ECC Memory supported Drive Controller: 2.5inch hot-plug SAS, SATA embedded host controller Hard Disk: 4x500GB(2TB) 7.2 RPM SAS, SATA, SFF Hard Drive Optical Drive: DVD-RW-ROM Drive Connectivity: Embedded Dual ports Gigabit Network Interface Card(NIC) & iDRAC7/iLO Express ports Power Supply Unit: Hot-plug redundant 750 Watt Power Supply Unit & 3 Pin type Power Cords, Operating System(OS): Free DOS/Open Source Monitor: 17 inch LCD Screen, USB optical Mouse & Keyboard System Device Drive: Server System Hardware Device drivers software, server rack mounting kits | Set | 0 | 0 | 0 | 0 |
| 115 | Switch rack : 6U, Wall mount Switch Rack width glass door lock & key. | Set | 0 | 0 | 4470 | 0 |

| | | | | | | |
|-----|--|----------|------|-------|-------|------|
| 116 | Switch rack : 9U, Wall mount Switch Rack width glass door lock & key. | Set | 0 | 0 | 5235 | 0 |
| 117 | Switch rack : 12U, Wall mount Switch Rack width glass door lock & key. | Set | 0 | 0 | 6000 | 0 |
| 118 | Cat 6 factory crimped patch cord-1 meter(100 % copper cable) | Set | 0 | 0 | 0 | 0 |
| 119 | Cat 6 factory crimped patch cord-5 meter(100 % copper cable) | Set | 0 | 0 | 0 | 0 |
| 120 | Rack mountable, 16 ports Gigabit ethernet unmanaged switch with power cord(please mention the price for different brand)(Cisco/Tplink/Dlink) | Set | 0 | 19900 | 0 | 0 |
| 121 | Rack mountable, 24 ports Gigabit ethernet unmanaged switch with power cord(please mention the price for different brand)(Cisco/Tplink/Dlink) | Nos | 0 | 29000 | 7800 | 0 |
| 122 | Rack mountable, 16 ports Gigabit ethernet managed L2 switch with 2 sfp slots & power cord(please mention the price for different brand)(Cisco/Tplink/Dlink) | Nos | 0 | 23000 | 26400 | 0 |
| 123 | Rack mountable, 24 ports Gigabit ethernet managed L2 switch with 4 sfp slots & power cord(please mention the price for different brand)(Cisco/Tplink/Dlink) | Nos | 0 | 0 | 33400 | 0 |
| 124 | Cat6 UTP Solid cable 305 meter(100% copper cable) | Per roll | 7300 | 9000 | 5740 | 0 |
| 125 | Cat6A IO Box with Face Plate and CATEGORY 6A Modular Jacks/IO Jack UTP CAT6A I/O with Face Plate, Single, Front Shutter | SET | 0 | 0 | 385 | 0 |
| 126 | Modular Patch Panel Cat 6 12 ports | Nos | 0 | 0 | 0 | 0 |
| 127 | Modular Patch Panel Cat 6 24 ports | Nos | 0 | 0 | 0 | 0 |
| 128 | Rj 45 connector piece(1pkt =100 piece) | Pkt | 0 | 4600 | 1150 | 1100 |
| 129 | small business Router(mention the latest version or specs) | Nos | 0 | 0 | 4900 | 2900 |
| 130 | Net work tool kit set (complete set) Please specify the items in the toolkit (eg Crimper, cutter, tester, battery etc) specification or broucher must be attached. | SET | 0 | 0 | 8400 | 0 |
| 131 | 6 ports 19" Rack Mountable Fiber Patch Panel loaded with SC-SC Phase plate, SC-SC Duplex adapter, Splice tray and SC pigtails, Patch panel should be dust and rodent proof | SET | 0 | 0 | 0 | 0 |
| 132 | Single mode single fiber WDM Media Converter 10/100 mbps fast ethernet note: supplier should provide SC-SC Female to Male Fiber optic attenuator 3db or 5db to suit certain optical power level for 500 meters to 1 km | Pair | 0 | 0 | 0 | 0 |
| 133 | Single mode single fiber WDM Media Converter 10/100/1000mbps fast ethernet note: supplier should provide SC-SC Female to Male Fiber optic attenuator 3db or 5db to suit certain optical power level for 500 meters to 1 km | Pair | 0 | 0 | 0 | 0 |
| 134 | Outdoor CPE 2.4 GHz 300 Mbps 12 dbi(POE) | Nos | 0 | 0 | 0 | 0 |
| 135 | 300 mbps wireless access point 2.4 ghz, 802.11g/b/n | Nos | 0 | 4000 | 0 | 2900 |
| 136 | 802.11 ac wave 2 wifi AP supporting simultaneous connection on both the 2.4ghz and 5 ghz wifi bands. Bandwidth rated upto 1300 mbps on the 5ghz band and upto 300m mbps on 2.4 ghz | Nos | 0 | 0 | 0 | 0 |

| | | | | | | |
|-----|--|-------|-------|-------|-------|-------|
| 137 | 802.11 ac wave 2 wifi AP supporting simultaneous connection on both the 2.4ghz and 5 ghz wifi bands. Bandwidth rated upto 1700 mbps on the 5ghz band and upto 300m mbps on 2.4 ghz | Nos | 0 | 0 | 0 | 0 |
| 138 | Handskit Temperature Electric Soldering Iron Kit 110V 220V 60W Soldering Iron kit With Multimeter Desoldeirng Pump Welding Tool | SET | 0 | 4900 | 0 | 0 |
| 139 | Electric screwdriver drill machine for reverse - forward function with screw driver bits and socket set, carry case and accessories | SET | 0 | 12000 | 0 | 19000 |
| 140 | Digital multimeter | SET | 0 | 3600 | 0 | 1200 |
| 141 | PVC insulation tape | Roll | 0 | 0 | 0 | 20 |
| 142 | Horse shoe clamp 1/2inch | Piece | 0 | 0 | 0 | 0 |
| 143 | Horse shoe clamp 1inch | Piece | 0 | 0 | 0 | 0 |
| 144 | 1inch Casing capping with fitting accessories | Piece | 0 | 0 | 0 | 0 |
| 145 | 1.5inch Casing capping with fitting accessories | Piece | 0 | 0 | 0 | 0 |
| 146 | 2inch Casing capping with fitting accessories | Piece | 0 | 0 | 0 | 0 |
| 147 | Casing capping pin | Pkt | 0 | 0 | 0 | 0 |
| 148 | AAA pencil battery | Pair | 0 | 0 | 0 | 34 |
| 149 | AA pencil battery | Pair | 0 | 0 | 0 | 34 |
| 150 | 6 Feet USB Console Cable USB Type C to RJ45 for Juniper, CISCO, Netgear, Ubiquity, LINKSYS, TPLink Routers or Switches for Windows, Mac, Linux | Nos | 0 | 0 | 0 | 0 |
| 151 | 6 Feet USB Console Cable USB to RJ45 cable Essential Accessory of CISCO, Netgear, Ubiquity, LINKSYS, TPLink Routers or Switches for Windows, Mac, Linux | Nos | 0 | 0 | 0 | 0 |
| 152 | USB LAN ethernet Adapter | Nos | 0 | 0 | 0 | 0 |
| 153 | Cable binder 3.6 times 200 mm white | Pkt | 0 | 0 | 0 | 0 |
| 154 | "Projector Screen Size Range 66 inches from 8 feet 107 inches from 12 feet Brightness 3000 ANSI Lumens Computer compatibility: FHD, HD, WXGA, UXGA, SXGA, XGA, SVGA, VGA, Mac Contrast Ratio: 23000:1 Keystone Correction: Yes, Lens Shift: No 2 times HDMI (1.4a 3D support) plus MHL v1.2, Audio Out 3.5mm, 12V trigger, 3D to Sync, USB service Display Technology: Single 0.65 1080p DC3 DMD chip DLP Technology by Texas Instruments Operating Conditions 5C to 40C, Max. Humidity 85percent, Max Altitude 3000m with carrying case or equivalent with remote control" | Set | 29900 | 0 | 0 | 79000 |
| 155 | Projector: Specify high end projector with wireless, hdmi and vga functionality with carrying case or equivalent with remote control | Set | 37777 | 0 | 44400 | 79000 |
| 156 | Projector Ceiling or Wall mounting kits: Adjustable projector mounting kits, 100percent aluminium alloy | Set | 3800 | 0 | 4300 | 3500 |

| | | | | | | |
|-----|---|-----|-------|-------|-------|-------|
| 157 | Projector Screen: Portable 100inch 16:9 Manual Foldable Tripod Stand 87inch times 49inch White Projector Surface Screen 4 side Black Borders w/ 160 Degree (Reliable tripod to adjust height and housing position Sleek design, scratch resistant, white color; Screen surface could wipe with mild soap or water 4-side black masking borders increase picture focus and contrast) or equivalent | Set | 11000 | 19000 | 8400 | 12000 |
| 158 | "Projector Screen: 110HD Motorized 16:9 Projector Screen W/ Remote Control : Size and Aspect Ratio, 16:9 Aspect ratio, 110 Diagonal screen size (96 inch 54in), Case Size: 104.125 times Dia 3in, Product Weight: 20.3lb High contrast 1.3 gain screen that is washable with soap and water, 1inch black masking borders to enhance picture contrast, 160 viewing angle perfect for residential or commercial use, 3 layer black backed screen which eliminates light penetration and produces top quality color reproduction, Static resistant, fire retardant, mildew resistant Casing and Installation, Durable steel casing with plastic ends White, Wall or ceiling assembly, Simple plug and play system Motor System, Energy efficient, quiet motor that enhances longevity, Control System, RF remote control distance 25m, Wall mountable control panel for use without remote Other Information, Compatible with all projectors (DLP, CRT, LCD, HD, 3D)" | Set | 0 | 28000 | 17400 | 0 |
| 159 | "Projector Screen: 70inch Diagonal, 16:9 Aspect Ratio Leg Size Silver Aluminum Frame Screen Material: CineWhite, 1.1 Gain 4K Ultra HD and Active 3D Projection Ready. Features 160 degree viewing angle with fully black backed front projection screen material Mildew resistant, and easy to clean with soap and water Compatible with Standard, Short Throw, UHD/HD projector Assembles in minutes without the use of tools Lightweight aluminum square tube construction easily transports with included padded carrying bag Screen is mildly weather resistant, but should not be left exposed to the elements for extended periods of time For maximum longevity, disassemble screen and store away indoors Features a fully tensioned, snap button frame that ensures a flat projection Includes: single piece aluminum frame with detachable legs, screen material, carrying bag, ground stakes, rigging cord, and support rings" | Set | 0 | 0 | 8700 | 0 |
| 160 | HDMI Cables:3m | Set | 0 | 0 | 395 | 4200 |
| 161 | HDMI Cables: 5m | No | 0 | 0 | 399 | 4400 |
| 162 | HDMI Cables:10m | No | 0 | 2900 | 970 | 5900 |
| 163 | HDMI Cables:20 m | No | 0 | 3500 | 2400 | 6200 |
| 164 | HDMI to VGA Converter: with audio functionality | No | 0 | 0 | 840 | 1900 |
| 165 | VGA Cables: 3m | No | 0 | 0 | 475 | 990 |
| 166 | VGA Cables:5m | No | 0 | 0 | 580 | 2200 |
| 167 | VGA Cables:10m | No | 0 | 2200 | 970 | 3900 |

| | | | | | | |
|-----|--|-----|---|------|------|------|
| 168 | VGA Cables:20 m | No | 0 | 3200 | 2400 | 5900 |
| 169 | VGA splitters : Inclusive of both VGA and HDMI ports with input& output audio and charger (8 VGA ports with HDMI slot) | SET | 0 | 0 | 4900 | 0 |

Comparative Statement for AMC

| | | | | | | |
|----|---|-----|---|---|------|------|
| 1 | Formating desktop PC with complete drivers installment including necessary software installation like MS office 2007/2010/2013/2016, Adobe Reader, Dzongkha Unicode | Nos | 0 | 0 | 0 | 1800 |
| 2 | Formating with complete drivers installation including necessay software installation like MS office , Adobe Reader, Dzongkha Unicode and etc | Nos | 0 | 0 | 0 | 500 |
| 3 | Installation Software of MS Office | Nos | 0 | 0 | 0 | 500 |
| 4 | Intallation of Dzongkha Unicode | Nos | 0 | 0 | 0 | 500 |
| 5 | Installation of printer driver software | Nos | 0 | 0 | 0 | 500 |
| 6 | Vacuum cleaning | Nos | 0 | 0 | 0 | 500 |
| 7 | Data back ups and restoration | Nos | 0 | 0 | 0 | 2500 |
| 8 | Replacement of RAMs | Nos | 0 | 0 | 0 | 500 |
| 9 | Replacement SMPS | Nos | 0 | 0 | 0 | 400 |
| 10 | Resetting /Servicing of the Mother board | Nos | 0 | 0 | 0 | 0 |
| 11 | Installation of Antivirus including CD | Nos | 0 | 0 | 0 | 1000 |
| 12 | Replacement of Mother board | Nos | 0 | 0 | 0 | 8500 |
| 13 | Installation of LAN Card | Nos | 0 | 0 | 0 | 0 |
| 14 | Installation of Sound card | Nos | 0 | 0 | 0 | 0 |
| 15 | Replacement of SATA/IDE cable | Nos | 0 | 0 | 0 | 0 |
| 16 | Installation of VGA card | Nos | 0 | 0 | 0 | 0 |
| 17 | Replacement of Processors pentium 4, 2 duo, duo core etc | Nos | 0 | 0 | 0 | 0 |
| 18 | Replacement of battery | Nos | 0 | 0 | 0 | 0 |
| 19 | Repair /Maintenance of the Fax Machine of any kind (print/copy/scan/fax) | Nos | 0 | 0 | 0 | 0 |
| 20 | Repair /Maintenance of the Fax Machine of any kind | Nos | 0 | 0 | 0 | 0 |
| 21 | Repair UPS of any kind | Nos | 0 | 0 | 1740 | 0 |
| 22 | Stabilizers of any kind | Nos | 0 | 0 | 1740 | 0 |
| 23 | Repair/Maintenance Link switches of ports/all types | Nos | 0 | 0 | 3400 | 0 |
| 24 | All kind of copier machines | Nos | 0 | 0 | 2750 | 0 |
| 25 | Repair/Maintenance of SMPS of any kind | Nos | 0 | 0 | 1750 | 0 |