

Comparative Statement for RWSS, Hardware and Municipal Water Supply Mat

Line Item No. (1)	Description of Goods (2)	Unit of Measurement (3)	Amount per			
			line item			
			Bhutan Hardware Agency	Dhrodhen Enterprise	RK Enterprise	Woezer Enterprise
1	HDP pipe 225 mm Pin-6 (HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	1851.13	0	1949	1830
2	(HDP pipe 225 mm Pin-4 HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	1284.78	0	1354	1270
3	HDP pipe 200 mm Pin-6 (HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	1457.83	0	1534	1440
4	HDP pipe 200 mm Pin-4 (HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	1022.58	0	1079	1010
5	HDP pipe 160 mm Pin- 6(HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	936	0	985	925
6	HDP pipe 160 mm Pin-4 (HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS- 4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	681.72	0	719	675

7	HDP pipe 125 mm Pin-6 (HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	571.6	0	604	565
8	HDP pipe 125 mm Pin-4(HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length)(Drukpipe or Rabten)	mtr	419.52	0	444	415
9	HDP pipe 110 mm Pin-10. High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length (Druk or Rabten)	mtr	692.2	0	729	685
10	HDP pipe 110 mm Pin-6. HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length(Druk or Rbten)	mtr	470.5	0	464	435
11	HDP pipe 110 mm Pin-4(High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length (Drukpipe or Rabten)	mtr	314.6	0	334	310
12	HDP pipe 90 mm Pin-10(High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 50m long per coil (Drukpipe or Rabten)	mtr	466.72	0	494	460
13	HDP pipe 90 mm Pin-6 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 50m long per coil (Drukpipe or Rabten)	mtr	347.93	0	369	340

14	HDP pipe 63 mm Pin -10 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 50m long per coil. (Drukpipe or Rabten)	mtr	230.73	0	244	228
15	HDP pipe 63 mm Pin -6 High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 50m long per coil. (Drukpipe or Rabten)	mtr	173.96	0	184	170
16	HDP pipe 63 mm Pin-4 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 6m straight length(Drukpipe or Rabten)	mtr	124.26	0	129	120
17	HDP pipe 50 mm Pin-10 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 100m long per coil. (Drukpipe or Rabten)	mtr	144.21	0	154	140
18	HDP pipe 50 mm Pin-6 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 100m long per coil. (Drukpipe or Rabten)	mtr	111.83	0	119	110
19	HDP pipe 40 mm Pin-10 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 200m long per coil. (Drukpipe or Rabten)	mtr	94.62	0	99	90
20	HDP pipe 40 mm Pin-6 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995suitable for cold weather. Marked with diameter, class, green coloured line and 200m long per coil. (Drukpipe or Rabten)	mtr	72.07	0	76	70

21	HDP pipe 32 mm Pin-8 (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 200m long per coil. (Drukpipe or Rabten)	mtr	57.16	0	67	55
22	HDP pipe 25 mm Pin-12.5(High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 200m long per coil.(Drukpipe or Rabten)	mtr	49.7	0	53	48
23	HDP pipe 20 mm Pin-12.5 HDPE (High Density Polythylene) suitable for drinking water to be mfgd. from 100% virgin raw material produced as per IS-4984-1995 suitable for cold weather. Marked with diameter, class, green coloured line and 200m long per coil.	mtr	32.32	0	34	31
24	(4.00 inch GI pipe, Medium duty) IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & -0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	849	1197	1049	1030
25	(3.00 inch GI pipe, Medium duty)IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & -0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	592	997	799	725

26	(2.00 inch GI pipe, Medium duty)IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & - 0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	357.7	789	5854	450
27	(1.50 inch GI pipe, Medium duty)IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & - 0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	217.75	579	469	365
28	(1.00 inch GI pipe, Medium duty)IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & - 0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	180.25	397	334	265
29	(0.50 inch GI pipe, Medium duty)IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m,. Tolerance +15cm & - 0cm.(MEDIUM DUTY, Kohli, BABA & NVR)	mtr	114.6	279	199	183
30	110 mm x 4 inch Flange set (HDPe to GI) IS 4984/87 (JSI)	each	977	0	1499	1700
31	90 mm x 3 inch Flange set (HDPe to GI) IS 4984/87 (JSI)	each	727	0	1129	1080
32	63 mm x 2 inchFlange set (HDPe to GI) IS 4984/87 (JSI)	each	639	0	949	670
33	50 mm x 1 1/2 inch Flange set (HDPe to GI) IS 4984/87 (JSI)	each	559	0	879	600
34	Brass Union, 63 mm x 2 inch (HDPe to GI) IS 4984/87 (JSI)	each	1170	0	1099	3500

35	Brass Union, 50 mm x 1 1/2 inch(HDPe to GI) IS 4984/87 (JSI)	each	1035	0	989	2500
36	Brass Union, 32 mm x 1 inch (HDPe to GI) IS 4984/87 (JSI)	each	540	0	699	1500
37	Brass Union, 20 mm x 1/2 inch (HDPe to GI) IS 4984/87 (JSI)	each	275	0	379	950
38	3 inch x 30degree GI Bend IS 4984/87 (JSI)	each	485	0	799	2500
39	3 inch x 22.5degree GI Bend IS 4984/87 (JSI)	each	455	0	799	2500
40	3 inch x 11degree GI Bend IS 4984/87 (JSI)	each	447	0	799	2500
41	2 inch x 30degree GI Bend IS 4984/87 (JSI)	each	179	0	679	500
42	2 inch x 22.5degree GI Bend IS 4984/87 (JSI)	each	181	0	679	500
43	2 inch x 11degree GI Bend IS 4984/87 (JSI)	each	182	0	679	500
44	1 .50 inch x 30degree GI Bend IS 4984/87 (JSI)	each	109	0	549	300
45	1.50inch x 22.5degree GI Bend IS 4984/87 (JSI)	each	111	0	549	300
46	1.50 inch x 11degree GI Bend IS 4984/87 (JSI)	each	115	0	549	300
47	4 inch GI Elbow IS 4984/87 (JSI)	each	975	0	1169	1240
48	3 inch GI Elbow IS 4984/87 (JSI)	each	553	0	599	640
49	2 inch GI ElbowIS 4984/87 (JSI)	each	216	0	284	300
50	1.50 inch GI Elbow IS 4984/87 (JSI)	each	135.6	0	149	160
51	1 inch GI ElbowIS 4984/87 (JSI)	each	62.9	0	74	75
52	0.50 inch GI Elbow IS 4984/87 (JSI)	each	23.65	0	29	55
53	4 inch GI Nipple IS 4984/87 (JSI)	each	222	0	649	760
54	3 inch GI Nipple IS 4984/87 (JSI)	each	88	0	449	460
55	2 inch GI NippleIS 4984/87 (JSI)	each	63	0	279	240
56	1.50 inch GI NippleIS 4984/87 (JSI)	each	55	0	0	140
57	1 inch GI Nipple IS 4984/87 (JSI)	each	32	0	229	75
58	0.50 inch GI Nipple IS 4984/87 (JSI)	each	19.6	0	109	40
59	4 inch x 3 inch GI ReducersIS 4984/87 (JSI)	each	643	0	694	700
60	3 inch x 2 inch GI ReducersIS 4984/87 (JSI)	each	396	0	394	390
61	2 inch x 1 .50inch GI ReducersIS 4984/87 (JSI)	each	160.5	0	149	175
62	1.50inch x 1 inch GI ReducersIS 4984/87 (JSI)	each	96.2	0	119	120
63	1.50 inch x 0.50 inch GI ReducersIS 4984/87 (JSI)	each	95.2	0	169	120
64	1 inch x 0.50 inch GI ReducersIS 4984/87 (JSI)	each	50.18	0	119	65
65	4 inch GI Sockets IS 4984/87 (JSI)	each	610	0	664	700
66	3 inch GI SocketsIS 4984/87 (JSI)	each	377.25	0	384	390
67	2 inch GI Sockets IS 4984/87 (JSI)	each	158	0	174	175
68	1.50 inch GI SocketsIS 4984/87 (JSI)	each	91.5	0	119	120
69	1 inch GI SocketsIS 1879:1987(JSI)	each	47.7	0	64	65
70	0.50 inch GI Sockets IS 1879:1987(JSI)	each	23.77	0	29	45
71	4 inch GI Tee equalIS 1879:1987(JSI)	each	1185	0	1549	1560
72	3 inch GI Tee equal IS 1879:1987(JSI)	each	729	0	859	845
73	2 inch GI Tee equalIS 1879:1987(JSI)	each	270	0	379	380
74	1.50 inch GI Tee equal IS 1879:1987(JSI)	each	172	0	229	230

75	1 inch GI Tee equal IS 1879:1987(JSI)	each	81.2	0	104	100
76	0.50 inch GI Tee equal IS 1879:1987(JSI)	each	39.75	0	49	75
77	4 inch x 4 inch x 0.50 inch GI Tee unequal IS 1879:1987(JSI)	each	1299	0	1549	1560
78	3 inch x 3 inch x 0.50 inch GI Tee unequal IS 1879:1987(JSI)	each	798	0	859	840
79	2 inch x 2 inch x 0.50 inch GI Tee unequal IS 1879:1987(JSI)	each	299	0	379	380
80	1.50 inch x 1.50 inch x 0.50 inch GI Tee unequal IS 1879:1987(JSI)	each	188	0	229	230
81	1 inch x 1 inch x 0.50 inch GI Tee unequal IS 1879:1987(JSI)	each	95.17	0	104	105
82	4 inch GI Unions IS 1879:1987(JSI)	each	1405	0	1709	1700
83	3 inch GI Unions IS 1879:1987(JSI)	each	1023	0	1099	1100
84	2 inch GI Unions IS 1879:1987(JSI)	each	393	0	449	450
85	1.50 inch GI Unions IS 1879:1987(JSI)	each	255.97	0	349	350
86	1 inch GI Unions IS 1879:1987(JSI)	each	134	0	194	200
87	0.50 inch GI Unions IS 1879:1987(JSI)	each	71.77	0	84	150
88	4inch Brass Gate Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	14859	0	9999	10500
89	3 inch - Brass Gate Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	6729	0	5399	5500
90	2inch - Brass Gate Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	2590	0	2649	2700
91	1.50inch - Brass Gate Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	1768	0	1549	1700
92	1inch - Brass Gate Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	390	0	839	800
93	1.50inch - Brass Globe Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	1305	0	1499	610
94	1inch- Brass Globe Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	599	0	899	800
95	0.50inch - Brass Globe Valve Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	316	0	379	600
96	0.50inch - Tapstand Regulating Valve set Class I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	435	0	459	650
97	Regulating valve keyClass I, 1.5 MPa IS 778-84 (R.ZOLOTO)	each	85	0	94	1080
98	Air release Valve 0.50 inch Heavy duty 450 gram Brass, Male threading IS-781. With spare washer set.	each	1597	0	1449	450
99	Brass tap 0.50inch Medium duty (Weight = 350gram) (big size) (R.ZOLOTO)	each	264	0	249	250
100	Jayson tap 0.50 inch (wnt 0.50 ductile)	each	0	0	0	350
101	2inch Float Valve. Copper or brass made. Min. weight 20gms See attached PHED drawing for detail specification.	Set	5124	0	3999	4600
102	1.50inch Float Valve Copper or brass made. Min. weight 20gms See attached PHED drawing for detail specification.	Set	3612	0	2679	2650

103	1inch Float Valve Copper or brass made. Min. wt 20gms See attached PHED drawing for detail specification.	Set	1800	0	1799	1000
104	0.50inch Float Valve Copper or brass made. Min. wt 20gms See attached PHED drawing for detail specification.	Set	1427	0	1479	600
105	4 inch Valve box with endcap GI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample	each	1387	0	2799	15000
106	2 inch Valve box with endcapGI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample	each	987	0	1699	9500
107	2inch Valve box key with 3 pointsAs per PHE sample and drawing	each	497	0	1499	9500
108	1.50inch Valve box key with 3 pointsAs per PHE sample and drawing	each	497	0	1249	8500
109	1inch Valve box key with 3 pointsAs per PHE sample and drawing	each	497	0	999	8500
110	0.50inch Valve box key with 3 pointsAs per PHE sample and drawing	each	497	0	799	8500
111	GI threaded single Flange 2inch	each	327	0	394	1200
112	Bag jute 24 inchx 40 inch hessian jute 10 OZ	each	0	0	149	950
113	Pipe joining compound in 0.50 kg pot Graphite pipe-joining compound for drinking water purpose. Re-sealable pots.	can	0	0	399	950
114	Grease, in 0.50 kg pot IS 508:1987 Wheel bearing grease, resealable pots	pot	0	0	399	350
115	Hemp jute 0.50 kg bundle packed in plastic	bundle	297	0	0	850
116	Lock and key (3inch) Heavy Duty, with 3 keys.	each	387	0	399	350
117	Lock and key (2inch) Heavy Duty, with 3 keys.	each	297	0	279	290
118	Lock and key (1.50inch) Heavy Duty, with 3 keys.	each	189	0	169	250
119	Nails 2inch Galvanised wire nails sharpened	kg	72	0	72	62
120	Nails 4inch Galvanised wire nails sharpened	kg	67.5	0	72	62
121	Nails - U 8SWG Height 35 mm, Width 10 mm Sharpened	kg	107	0	90	120
122	Prefab manhole cover & slab As per PHE drawing & specification	set	1575	0	1649	7500
123	Rebar 8mm (Yield Strength 500 MPa)	kg	62	0	69	58
124	Rebar 10mm (Yield Strength 500 MPa)	kg	62	0	69	58
125	Rebar 12mm (Yield Strength 500 MPa)	kg	62	0	69	58
126	Rebar 16mm (Yield Strength 500 MPa)	kg	62	0	69	58
127	Hessian jute	mtr	42	0	54	43

128	Plastic sheet Thickness 0.125 mm, Width 90 cm, double sheet. In rolls of 25 meter	mtr	49	0	49	100
129	Barbed wire Gauge 12 SWG double wired, double barbed 90 degrees angle, every 10 cm, galvanized (IS: 278/1969). In roll of 30 kg weight tolerance 3plus kg	kg	93	0	78	85
130	Wire, GI binding Gauge 22 SWG. In roll of 1kg, galvanised	kg	98	0	129	90
131	Wire Mesh 2mm 2.5 square opening. In roll of 20m	mtr	249	0	249	250
132	Wire, mesh chicken 23 SWG, hexagonal 15 mm, 1.50 inch full twist, double string at side, width 1 metre. in rolls of 25 m leangth	mtr	63	0	44	250
133	Wire, Plain Gauge 8 SWG with light galvanized coating. In rolls of 40 kg, weight tolerance of plus3 kg	kg	97	0	129	120
134	Wire, welded mesh, 2inch x 0.50inch	sqm	0	0	349	250
135	Wire, welded mesh, 3inch x 1inch	sqm	0	0	279	250
136	Blade, hacksaw blade single side IS 2594:1976	each	10	0	7	10
137	Blade, hacksaw blade double side IS 2594:1976	each	15	0	9	15
138	Stone chisel 1.50inch	each	0	0	369	290
139	Stone chisel 1 inch	each	229	0	249	250
140	Crowbar 32mm	each	1175	0	1099	950
141	File, flat, steel, 10 inch	each	275	0	249	280
142	File, half round, steel, 10 inch	each	275	0	249	280
143	Hacksaw frame Adjustable for 10 inch to 12 inch blades	each	148	0	149	120
144	Hammer, Mason 0.50 kg	each	147	0	149	250
145	Hammer, sledge 1 kg	each	188	0	149	120
146	Headpan 18 inch (IS 273:1990)	each	175	0	0	250
147	Hammer 5kg	each	911	0	596	850
148	Hammer 10kg	each	1819	0	1349	1400
149	Heating Plate, As per sample, round dia 125 mm, thickness 12mm, handle 420m with insulating grip, Brand: Deek's Firefly	each	1050	0	1879	6500
150	Heating Plate, As per sample, round dia 200 mm, thickness 12mm, handle 420m with insulating grip, Brand: Deek's Firefly	each	1575	0	0	7500
151	Heating Plate, As per sample, round dia 300 mm, thickness 12mm, handle 420m with insulating grip, Brand: Deek's Firefly	each	1795	0	0	12000
152	Teflon cover/bag For 200 mm heating plate	each	0	0	2459	2500
153	Teflon cover/bag For 300 mm heating plate	each	0	0	0	4000
154	Line, masons. 100g per roll	bundle	75	0	0	70
155	Pliers 8inch	each	118	0	249	280
156	Shoval	each	325	0	329	320
157	Spade	each	225	0	249	250
158	Pick axe	each	319	0	349	350

159	Measuring tapemetal 30 mtr length Scale in cm & inches	each	215	0	579	560
160	Measuring tape metal 15 mtr length Scale in cm & inches	each	155	0	299	300
161	Measuring tape metal 10 mtr length Scale in cm & inches	each	135	0	199	380
162	Measuring tape metal 5 mtr length Scale in cm & inches	each	145	0	129	150
163	Teflon cover/bag For 125 mm heating plate	each	227	0	2449	3500
164	Thermochrome crayon Indicating 200 degree C Import quality, Approved brands: Faber Castell(Indian made)	each	197	0	0	7500
165	Tin cutter/snip	each	175	0	268	350
166	RWSS Caretaker tool box with full tool- set (As per PHE sample, 60x20x18 cm gauge 19 SWG, painted, double hinge with reinforcement on & inside. List of tools required inside the tool box are: Tool-box (60 X 20 X 18 CM), Lock & key 3 inch, Pipe wrench 24 inch, Pipe wrench 18 inch, Pipe wrench 14 inch, Adjustable sliding wrench 12 inch, Heating plate 12mm thick X 125mm dia, Teflon cover (For 125 mm heating plate) 12nos, Thermochrome chalk (Sticks with high quality) 6nos, Pliers 8 inch, Hacksaw blade (double)12nos, Hacksaw frame (Adjustable 10inch &12inch) 1no, Hemp jute 1bundle, Pipe joining compound 1/2kg pot, Grease 1/2kg pot, Mason trowel (2 inch X 5inch) 1no, Mason trowel (4 inch X 8 inch) 1no, Half round file 10 inch, Flat file 10 inch, M.S rod 6mm, 0.50m long, Inner truck tube 1/16 part, Steel measuring 5mtr long, Fibre measuring 10.45mtr long	set	9700	0	8699	7500
167	Trowel, masonry 2 inch x 5 inch	each	45	0	49	100
168	Trowel, masonry 4 inch x 8 inch	each	57	0	69	150
169	Pipe chain vice 6inch	each	2412	0	2239	3200
170	Pipe chain vice 4inch	each	1302	0	1859	2800
171	Pipe chain vice 3inch	each	943	0	1449	2000
172	Vice 6inch (Bench)	each	4343	0	4449	5800
173	Vice 3inch (Bench)	each	2443	0	1559	3450
174	Wrench, pipe 48 inch (Ludra/Tapia brand for heavy duty)	each	6820	0	3456	3600
175	Wrench, pipe 36 inch (Ludra/Tapia brand for heavy duty)	each	4337	0	2433	3000
176	Wrench, pipe 24 inch (Ludra/Tapia brand for heavy duty)	each	1817	0	1249	1450
177	Wrench, pipe 18 inch (Ludra/Tapia brand for heavy duty)	each	1053	0	879	820
178	Wrench, pipe 14 inch (Ludra/Tapia brand for heavy duty)	each	577	0	459	500
179	Wrench, pipe 12 inch (Ludra/Tapia brand for heavy duty)	each	504	0	269	420
180	Wrench slide 14inch (Ludra/Tapia brand for heavy duty)	each	647	0	569	950

181	Portable vice set 3inch to 4inch with stand (Heavy duty)	each	7729	0	0	3900
182	Portable vice set 1/2inch to 2inch with stand (Heavy duty)	each	4350	0	0	2500
183	Pipe chain wrench for heavy duty 48inch Ludra/Tapia brand	each	0	0	3456	75000
184	Pipe chain wrench for heavy duty 36inch Ludra/Tapia brand	each	0	0	2433	55000
185	Ratchet die set 3inch to 4inch IS 4984/87 (JSI)	set	9359	0	9789	7500
186	Ratchet die set 1 1/4inch to 2inch IS 4984/87 (JSI)	set	6625	0	5899	5500
187	Ratchet die set 1/2inch to 1inch IS 4984/87 (JSI)	set	2667	0	2679	3500
188	Die bit 4inch for ratchet die(Ludra/Tapia brand for heavy duty)	pair	2733	0	4549	4500
189	Die bit 3inch for ratchet(Ludra/Tapia brand for heavy duty)	pair	1469	0	3849	3500
190	Die bit 2inch for ratchet die(Ludra/Tapia brand for heavy duty)	pair	769	0	479	1500
191	Die bit 1 1/2inch for ratchet die	pair	769	0	479	1500
192	Die bit 1inch for ratchet die(Ludra/Tapia brand for heavy duty)	pair	769	0	179	750
193	Die bit 1/2inch for ratchet die	pair	565	0	179	650
194	Die set 3inch to 4inch (Ludra/Tapia brand for heavy duty)	pair	12893	0	7849	7500
195	Die set 1 1/4inch to 2inch (Ludra/Tapia brand for heavy duty)	pair	8997	0	5569	6500
196	Die set 1/2inch to 1inch (Ludra/Tapia brand for heavy duty)	pair	5465	0	1689	4500
197	Die bit 4inch(Ludra/Tapia brand for heavy duty)	pair	2145	0	2900	13500
198	Die bit 3inch (Ludra/Tapia brand for heavy duty)	pair	1093	0	1849	10000
199	Die bit 2inch (Ludra/Tapia brand for heavy duty)	pair	420	0	479	7500
200	Die bit 1 1/2inch(Ludra/Tapia brand for heavy duty)	pair	420	0	479	3500
201	Die bit 1inch (Ludra/Tapia brand for heavy duty)	pair	195	0	179	750
202	Die bit 1/2inch(Ludra/Tapia brand for heavy duty)	pair	195	0	179	500
203	Die bush 4inch (Ludra/Tapia brand for heavy duty)	each	422	0	199	4500
204	Die bush 3inch(Ludra/Tapia brand for heavy duty)	each	250	0	129	1500
205	Die bush 2inch(Ludra/Tapia brand for heavy duty)	each	145	0	99	2500
206	Die bush 1inch (Ludra/Tapia brand for heavy duty)	each	0	0	59	1500
207	Die bush 1/2inch (Ludra/Tapia brand for heavy duty)	each	0	0	49	1250
208	Sintex tank (500ltr druk or Rabten)	each	5125	0	4449	4000
209	Sintex tank (1000ltr druk or rabten)	each	10250	0	8799	7800
210	Sintex tank (2000ltr druk or rabten)	each	20125	0	16789	15000
211	Sintex tank (3000ltr druk or rabten)	each	30715	0	24599	23900

212	Sintex tank (5000ltr druk or rabten)	each	50600	0	44559	39500
213	Iron angle 50mm X 50mm X 6mm (2.10mtr long)	kg	73	87	59	63
214	Iron steel gate as per attached drawing	each	24900	0	0	35000
215	GI manhole cover with lock & key provision (5mm thick sheet, 60cm X 60cm)	each	8700	0	0	4500
216	White cement	kg	3500	0	43	50
217	PVC gutter	mtr	319	0	389	250
218	Pvc gutter outlet 110mm dia	each	565	0	499	650
219	PVC gutter bend 90 degree	each	563	0	499	750
220	PVC bend 110mm dia 90 degree	each	119	0	189	90
221	PVC bend 110mm dia 45 degree	each	0	0	119	120
222	PVC socket 110mm dia	each	90	0	89	90
223	PVC pipe pipe 110mm dia	mtr	212	0	209	175
224	PVC gutter bracket	each	189	0	139	150
225	CP bib cock 0.50 inch	each	453	0	549	260
226	CP push valve 0.50 inch	each	453	0	574	290
227	CP waste not tape 0.50 inch	each	579	0	499	450
228	Brass bib cock 0.50 inch with nozzle for flexible pipe connection	each	467	0	449	350
229	CP bib cock 0.50 inch with nozzle for flexible pipe connection	each	679	0	649	450
230	Flexible pipe 0.50dia	kg	145	0	209	180
231	GI pipe 1/2 inch dia (15cm long) (MEDIUM DUTY, Kohli, BABA & NVR)	each	21	0	34	40
232	GI pipe 1/2 inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	29	0	49	50
233	GI pipe 1/2 inch dia (25cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	32	0	54	60
234	GI pipe 1/2 inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	42	0	59	70
235	GI pipe 1/2 inch dia (35cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	53	0	79	90
236	GI pipe 1/2 inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	69	0	84	100
237	GI pipe 1/2 inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	84	0	84	110
238	GI pipe 1/2 inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	89	0	94	130
239	GI pipe 1/2 inch dia (65cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	129	0	129	150
240	GI pipe 1/2 inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	129	0	129	180
241	GI pipe 1/2 inch dia (80cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	135	0	129	190
242	GI pipe 1/2 inch dia (90cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	177	0	179	195
243	GI pipe 1/2 inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	225	0	179	200
244	GI pipe 1/2 inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	228	0	229	210
245	GI pipe 1/2 inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	230	0	229	230

246	GI pipe 1/2 inch dia (130cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	265	0	269	250
247	GI pipe 1/2 inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	287	0	288	260
248	GI pipe 1/2 inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	292	0	294	270
249	GI pipe 1/2 inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	297	0	299	280
250	GI pipe 1/2 inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	349	0	369	290
251	GI pipe 1/2 inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	359	0	379	300
252	GI pipe 1/2 inch dia (180cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	365	0	393	310
253	GI pipe 1/2 inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	389	0	393	320
254	GI pipe 1/2 inch dia (200cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	425	0	509	330
255	GI pipe 1/2 inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	437	0	549	340
256	GI pipe 1/2 inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	489	0	559	350
257	GI pipe 1/2 inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	575	0	578	360
258	GI pipe 1 inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	29	0	54	45
259	GI pipe 1 inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	54	0	59	60
260	GI pipe 1 inch dia (25cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	71	0	79	80
261	GI pipe 1 inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	85	0	109	100
262	GI pipe 1 inch dia (35cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	95	0	186	120
263	GI pipe 1 inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	105	0	189	140
264	GI pipe 1 inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	115	0	199	160
265	GI pipe 1 inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	125	0	219	180
266	GI pipe 1 inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	125	0	279	200
267	GI pipe 1 inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	165	0	319	220
268	GI pipe 1 inch dia (80cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	183	0	359	240

269	GI pipe 1 inch dia (90cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	204	0	394	260
270	GI pipe 1 inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	224	0	429	280
271	GI pipe 1 inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	245	0	479	300
272	GI pipe 1 inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	263	0	519	320
273	GI pipe 1 inch dia (130cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	283	0	569	340
274	GI pipe 1 inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	304	0	589	360
275	GI pipe 1 inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	315	0	629	380
276	GI pipe 1 inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	346	0	694	400
277	GI pipe 1 inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	364	0	739	420
278	GI pipe 1 inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	374	0	794	440
279	GI pipe 1 inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	374	0	819	460
280	GI pipe 1 inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	413	0	879	480
281	GI pipe 1 inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	413	0	879	500
282	GI pipe 1 inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	444	0	1129	520
283	GI pipe 1 inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	524	0	1349	540
284	GI pipe 1 inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	613	0	1599	580
285	GI pipe 1 1/2 inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	78	0	99	60
286	GI pipe 1 1/2 inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	85	0	139	90
287	GI pipe 1 1/2 inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	85	0	139	120
288	GI pipe 1 1/2 inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	122	0	179	150
289	GI pipe 1 1/2 inch dia (35cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	139	0	209	180
290	GI pipe 1 1/2 inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	153	0	239	210
291	GI pipe 1 1/2 inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	168	0	269	240
292	GI pipe 1 1/2 inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	183	0	319	270

293	GI pipe 11/2 inch dia (65cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	227	0	339	300
294	GI pipe 11/2 inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	243	0	394	350
295	GI pipe 11/2 inch dia (80cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	272	0	579	400
296	GI pipe 11/2 inch dia (90cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	303	0	589	450
297	GI pipe 11/2 inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	333	0	599	500
298	GI pipe 11/2 inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	364	0	649	550
299	GI pipe 11/2 inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	393	0	699	600
300	GI pipe 11/2 inch dia (130cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	422	0	794	650
301	GI pipe 11/2 inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	452	0	849	700
302	GI pipe 11/2 inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	467	0	899	750
303	GI pipe 11/2 inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	512	0	979	800
304	GI pipe 11/2 inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	542	0	1049	850
305	GI pipe 11/2 inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	557	0	1099	900
306	GI pipe 11/2 inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	557	0	1099	950
307	GI pipe 11/2 inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	617	0	1239	1000
308	GI pipe 11/2 inch dia (200cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	632	0	1349	1100
309	GI pipe 11/2 inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	661	0	1449	1200
310	GI pipe 11/2 inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	782	0	1549	1300
311	GI pipe 11/2 inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	916	0	1894	1400
312	GI pipe 2inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	92	0	154	100
313	GI pipe 2inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	112	0	199	150

314	GI pipe 2inch dia (25cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	133	0	254	200
315	GI pipe 2inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	152	0	289	250
316	GI pipe 2inch dia (35cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	172	0	329	300
317	GI pipe 2inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	192	0	379	350
318	GI pipe 2inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	210	0	399	400
319	GI pipe 2inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	229	0	412	450
320	GI pipe 2inch dia (65cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	289	0	579	500
321	GI pipe 2inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	309	0	639	550
322	GI pipe 2inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	309	0	639	600
323	GI pipe 2inch dia (90cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	389	0	699	650
324	GI pipe 2inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	428	0	794	700
325	GI pipe 2inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	467	0	849	750
326	GI pipe 2inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	508	0	899	800
327	GI pipe 2inch dia (130cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	547	0	999	850
328	GI pipe 2inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	586	0	1079	900
329	GI pipe 2inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	605	0	1129	950
330	GI pipe 2inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	665	0	1339	1000
331	GI pipe 2inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	705	0	1599	1100
332	GI pipe 2inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	724	0	1649	1200
333	GI pipe 2inch dia (180cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	744	0	1729	1300
334	GI pipe 2inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	804	0	1799	1400
335	GI pipe 2inch dia (200cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	823	0	1849	1500
336	GI pipe 2inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	862	0	1949	1600
337	GI pipe 2inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1020	0	2449	1800
338	GI pipe 2inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1197	0	2939	200
339	GI pipe 3inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	164.9	0	199	200
340	GI pipe 3inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	197	0	294	300

341	GI pipe 3inch dia (25cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	229	0	394	400
342	GI pipe 3inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	263	0	459	500
343	GI pipe 3inch dia (35cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	296	0	519	600
344	GI pipe 3inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	328	0	579	700
345	GI pipe 3inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	360	0	625	800
346	GI pipe 3inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	393	0	719	900
347	GI pipe 3inch dia (65cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	484	0	879	1000
348	GI pipe 3inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	522	0	919	1100
349	GI pipe 3inch dia (80cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	588	0	949	1200
350	GI pipe 3inch dia (90cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	653	0	1149	1300
351	GI pipe 3inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	717	0	1249	1400
352	GI pipe 3inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	782	0	1349	1500
353	GI pipe 3inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	848	0	1474	1600
354	GI pipe 3inch dia (130cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	913	0	1769	1800
355	GI pipe 3inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	975	0	1849	2000
356	GI pipe 3inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1018	0	1899	2300
357	GI pipe 3inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1105	0	2294	2500
358	GI pipe 3inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1170	0	2479	2600
359	GI pipe 3inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1205	0	2569	2800
360	GI pipe 3inch dia (180cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1237	0	2649	3000
361	GI pipe 3inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1333	0	2749	3100
362	GI pipe 3inch dia (200cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1367	0	2949	3200
363	GI pipe 3inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1433	0	3249	3500
364	GI pipe 3inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1692	0	3549	3600
365	GI pipe 3inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1984	0	3994	3700
366	GI pipe 4inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	209	0	289	250
367	GI pipe 4inch dia (20cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	255	0	349	300

368	GI pipe 4inch dia (25cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	302	0	459	400
369	GI pipe 4inch dia (15cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	209	0	389	500
370	GI pipe 4inch dia (30cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	349	0	634	600
371	GI pipe 4inch dia (40cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	442	0	549	1000
372	GI pipe 4inch dia (45cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	489	0	574	1500
373	GI pipe 4inch dia (50cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	435	0	654	2000
374	GI pipe 4inch dia (65cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	676	0	994	2300
375	GI pipe 4inch dia (70cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	723	0	1049	2500
376	GI pipe 4inch dia (80cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	816	0	1199	2600
377	GI pipe 4inch dia (100cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1003	0	1549	2700
378	GI pipe 4inch dia (110cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1097	0	1894	2800
379	GI pipe 4inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1190	0	2049	2900
380	GI pipe 4inch dia (120cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1190	0	2149	3000
381	GI pipe 4inch dia (140cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1377	0	2348	3100
382	GI pipe 4inch dia (145cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1424	0	2549	3200
383	GI pipe 4inch dia (160cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1564	0	2894	3500
384	GI pipe 4inch dia (170cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1657	0	3049	3600
385	GI pipe 4inch dia (175cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1705	0	3249	3700
386	GI pipe 4inch dia (180cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1751	0	3449	3800
387	GI pipe 4inch dia (195cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1892	0	3649	3900
388	GI pipe 4inch dia (200cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	1938	0	3849	4000
389	GI pipe 4inch dia (210cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	2032	0	3994	4200
390	GI pipe 4inch dia (250cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	2405	0	4494	4400
391	GI pipe 4inch dia (295cm long)(MEDIUM DUTY, Kohli, BABA & NVR)	each	2827	0	3835	4600